

Notified body No. 1121
Warrington Certification Limited, Holmesfield Road, Warrington, Cheshire, WA1 2DS, UK

Certificate of Constancy of Performance

1121-CPR-ABB022

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

“AXIM PR-7085-P Concealed Vertical Rods (See Annex A) PR-7095-P Rim Latch (See Annex B) Push Pad Series” Emergency Exit Devices

Intended use: For use on single leaf escape route doors

Essential characteristics	Performance	Harmonised technical specification
	Mechanical Test Evidence : 181534/A / 181534/B / WIL-322179 & WIL-332708 Fire Test Evidence : N/a	
Clause 4.2.1 Ability to release (for doors on escape routes) Release function Push pad Single doorset Double doorset Exposed edges and corners Push pad installation Operating element projection Operating element face (Push Pad) Push pad operating gap Test rod Push pad release operation Accessible gap Door free movement Top vertical bolt Keepers Keepers dimensions Door mass and dimensions Outside access device Release forces Security requirement	< 1 sec Pass Pass NPD Pass Z < 250 mm W < 150mm Pass Pass Pass Pass Pass Pass – (PR7085-P Annex A Only) Pass Pass – (PR7085-P Annex A Only) Door mass ≤ 200 Kg, door height ≤ 2500 mm, door width ≤ 1300 mm Pass Type B < 150 N Grade 4	BS EN 179 : 2008

Certificate of Constancy of Performance

1121-CPR-ABB022

<p>Clause 4.2.1 Durability of ability to release against aging and degradation (for doors on escape routes) Corrosion resistance Temperature range</p> <p>Covers for vertical rods Lubrication Re-engagement force Durability Abuse resistance – Push Pad Abuse resistance –Vertical rod Final examination</p>	<p>Grade 3 : 96 hours Operating forces at -10 C° and + 60 C° < 50% in excess of the operating forces at +20 C° NPD – Concealed Vertical Rods Lubrication every 20 000 cycles < 50 N Grade 7: 200 000 cycles 500 N & 1000N NPD – Concealed Vertical Rods Type B < 150 N</p>	<p>BS EN 179 : 2008</p>
<p>Clause 4.2.1 Self closing ability C (for fire/smoke doors on escape routes) Re-engagement force</p>	<p>NPD</p>	
<p>Clause 4.2.1 Durability of self closing ability C against aging and degradation (for fire/smoke doors on escape routes) Durability Re-engagement force</p>	<p>NPD</p>	
<p>Clause 4.2.1 Resistance to fire E (integrity) and I (insulation) (for fire doors on escape routes) Suitability of panic exit devices for use on fire resisting doorsets assemblies –</p> <p>Additional requirements</p>	<p>Grade 0: Not Suitable for use on fire/smoke door assemblies.</p>	
<p>Clause 4.1.25 Control of Dangerous substances</p>	<p>If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the device do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations.</p>	

Part Number	Description
PR-7085-P	Push Pad with Concealed Vertical Rods
PR-7095-P	Push Pad Rim Latch
725-AL	Outside Access Lever Handle

Certificate of Constancy of Performance

1121-CPR-ABB022

Produced for

The Parkside Group Ltd
The Willows Centre, Mitcham, Surrey, CR4 4NX

and produced in the manufacturing plant

K/001

This is coded form and the information is held by the Notified Body

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

BS EN 179: 2008

Under system 1 of AVCP are applied and that

The product fulfils all the prescribed requirements set out above

This certificate was first issued on **25th September 2014** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.



Paul Duggan
Certification Manager
Warrington Certification Ltd